

# TGB

*Play different*



---

**TGB**

---

## **PERFORMANCE**

- Powerful 83 HP
- Top Speed 100 kph
- Industrial Leading 4WD Turf Mode
- 4WD / 2WD Switchable Front & Rear Differential
- Hill Descent Control
- CVT Belt Protection System
- 400 cm Turing Radius
- Greater Approach Angle ( 82 Degree )
- Unbraked Trailer Towing Capacity 760 kg / Max. Mass of Inertia – Braked Trailer 1360 kg
- High Durability Wheel Bearing

## **APPEARANCE**

- LED Headlight / Tail Lamp
- More Legroom and Interior Cab Space than Others
- Fast & Easy Installation Door Set
- Battery Trickle Charging Outlet
- Pulse System – 6 Position
- 14 Inch Aluminum Wheel
- Foldable Passenger Seat for More Storage
- Tailgate Scale Gage
- Design for Quick and Easy Engine / CVT Maintenance
- 4500 lb Winch with Synthetic Rope & Overload Protection

---

**TGB**

---

## **OPTIONAL**

- Full Glass Windshield with Wiper / Washer Kit
- Glass Rear Panel
- Power Windows
- Rearview Mirror
- Heating and Ventilation System
- 850 Watt Alternator Output
- Switchable ( On / Off ) ABS Braking System
- Electric Handbrake
- Speed Limit Key
- 29 Inch Tire
- Electric Lifting Cargo Box
- Rear Winch

## **CERTIFICATE**

- Homologation – T1b ( EU No 167 / 2013 ) with 3 – Person Seating Capacity
- USA EPA & ROHVA Certification

---

**TGB**

---



---

**TGB**

---



---

**TGB**

---



---

**TGB**

---

## Technical Specification

1000 UTV	Standard	Full Cab
<b>Engine &amp; Drivetrain</b>		
Engine Type	997 cc, 4 - Stroke V - Twin Cylinder SOHC	
Horsepower	83 HP	
Transmission / Final Drive	Automatic CVT L / H / N / R / P; Shaft	
Drive System Type	Selectable 2WD / RWD / 4WD / 4WD Lock / Turf Mode	
Fuel System	Electronic Fuel Injection	
Engine Braking System ( EBS )	HDC ( Hill Descent Control )	
CVT Belt Protection	CVT ( Electronic Drive Belt Protection )	
Cooling	Liquid	
Alternator Output	650W	850W
<b>Dimensions</b>		
Overall Vehicle Size ( L x W x H )	3074mm x 1625mm x 2041mm	
Bed Box Dimensions ( L x W x H )	1080mm x 1600mm x 320mm	
Bed Box Capacity	454 kg	
Estimated Dry Weight	743 kg	893 kg
Fuel Capacity	44 L	
Ground Clearance	F: 340mm R: 350mm	
Payload Capacity	830 kg	680 kg
Towing Capacity	1134 kg	
Person Capacity	3	
Min. Turning Radius	400 cm	
Wheelbase	2130 mm	
<b>Brakes</b>		
Front	Disk Brakes with Hydraulic Twin-Piston Calipers	
Rear	Disk Brakes with Hydraulic Single-Piston Calipers	
Parking Brake	Park In-Transmission	
Electrical Handbrake	Optional	
ABS	N/A	Yes
<b>Tires / Wheels</b>		
Front Tires	27 x 9-14	29 x 9-14
Rear Tires	27 x 11-14	29 x 11-14
Wheels	Aluminum Rim	

**TGB**

1000 UTV	Standard	Full Cab
<b>Suspension</b>		
Front Suspension	Dual A-Arm, IRS 254 mm Travel	
Rear Suspension	Dual A-Arm, IRS 254 mm Travel	
<b>Additional Specifications</b>		
Electronic Power Steering	Yes	
Tilt Steering	Standard	
Door	Net	Full Door ( Glass Window )
Power Window	N/A	Yes
Glass Windshield with Wiper / Washer Kit	N/A	Yes
Glass Rear Panel	N/A	Yes
Heating and Ventilation System	N/A	Yes
Adjustable Driver Seat	Yes	
Passenger Seat	Flip-up	
Cup Holder	6	
Instrumentation	4.3" LCD Digital Display	
Lighting	Low Beam ( LED ) / High Beam ( LED )	
Battery Trickle Charging Outlet	Yes	
Pulse System - 6 Position	Yes	
Front Bumper	Standard	
Winch	Standard	
Rear Winch	Optional	
Hitch Type	Standard 50.8 mm Receiver	
Cargo System	Fast Lock & Ride	
Electric Lifting Cargo Box	N/A	Yes
Tailgate Hold Weight	120 kg	
Tailgate Ruler ( English / Metric )	Yes	
Speed Key	Optional	

**TGB**